

Contents

- Abrajano TA, Jr., Pasteris JD: Zambales ophiolite, Philippines. II. Sulfide petrology of the critical zone of the Acoje Massif 64-77
- Abrecht J: Manganiferous phyllosilicate assemblages: occurrences, compositions and phase relations in metamorphosed Mn deposits 228-241
- Andersen T, Burke EAJ, Austrheim H: Nitrogen-bearing, aqueous fluid inclusions in some eclogites from the Western Gneiss Region of the Norwegian Caledonides 153-165
- Anderson AT, Jr → Schwindinger KR 187-198
- Andriessen PAM → Jansen JBH 123-126
- Austrheim H → Andersen T 153-165
- Barker DS, Nixon PH: High-Ca, low-alkali carbonatite volcanism at Fort Portal, Uganda 166-177
- Barnett RL → Edgar AD 277-286
- Bassias Y → Davies HL 457-469
- Baumann A → Wildberg GHG 253-262
- Beard JS, Borgia A: Temporal variation of mineralogy and petrology in cognate gabbroic enclaves at Arenal volcano, Costa Rica 110-122
- Benna P → Tribaudino M 452-456
- Bhattacharya PK → Sengupta P 223-227
- Bischoff L → Wildberg GHG 253-262
- Bol LCGM, Majer C, Jansen JBH: Pre-metamorphic lateritisation in Proterozoic metabasites of Rogaland, SW Norway 306-316
- Borgia A → Beard JS 110-122
- Bradshaw JY: Origin and metamorphic history of an Early Cretaceous polybaric granulite terrain, Fiordland, southwest New Zealand 346-360
- Bruno E, → Tribaudino M 452-456
- Burke EAJ → Andersen T 153-165
- Carmichael ISE → Wallace P 470-492
- Christy AG: The effect of composition, temperature and pressure on the stability of the 1Tc and 2M polytypes of sapphire 203-215
- Cousens DR → Griffin WL 199-202
- Czarnaske GK → Johnson CM 90-109
- Dasgupta S → Sengupta P 223-227
- Davies HL, Sun S-s, Frey FA, Gautier I, McCulloch MT, Price RC, Bassias Y, Klootwijk CT, Leclaire L: Basalt basement from the Kerguelen Plateau and the trail of a Dupal plume 457-469
- Dick HJB → Meyer PS 44-63
- Edgar AD, Lloyd FE, Forsyth DM, Barnett RL: Origin of glass in upper mantle xenoliths from the quaternary volcanics of Gees, West Eifel, Germany 277-286
- Fein JB, Walther JV: Calcite solubility and speciation in supercritical NaCl-HCl aqueous fluids 317-324
- Flower MFJ → Vogt ET 493-509
- Forsyth DM → Edgar AD 277-286
- Frey FA → Davies HL 457-469
- Frey FA → Hickey-Vargas R 361-386
- Frost BR, Touret JLR: Magmatic CO₂ and saline melts from the Sybille Monzonite, Laramie Anorthosite Complex, Wyoming 178-186
- Gautier I → Davies HL 457-469
- Goode ADT → Gray CM 35-43
- Gray CM, Goode ADT: The Kalka layered intrusion, Central Australia. A strontium isotopic history of contamination and magma dynamics 35-43
- Griffin WL, Cousens DR, Ryan CG, Sien SH, Suter GF: Ni in chrome pyrope garnets: a new geothermometer 199-202
- Grove TL, Juster TC: Experimental investigations of low-Ca pyroxene stability and olivine - pyroxene - liquid equilibria at 1-atm in natural basaltic and andesitic liquids 287-305
- Haggerty SE → Hills DV 397-422
- Hariya Y → Sengupta P 223-227
- Henderson CMB → Kohn SC 242-252
- Hickey-Vargas R, Moreno Roa H, Lopez Escobar L, Frey FA: Geochemical variations in Andean basaltic and silicic lavas from the Villarrica-Lanin volcanic chain (39.5° S): an evaluation of source heterogeneity, fractional crystallization and crustal assimilation 361-386
- Hills DV, Haggerty SE: Petrochemistry of eclogites from the Koidu Kimberlite Complex, Sierra Leone 397-422
- Jansen JBH, Van der Rijst H, Rye RO, Andriessen PAM, Rye DM: High integrated fluid rock ratios during metamorphism at Naxos: evidence from carbon isotopes of calcite in schists and fluid inclusions. A discussion of the paper by Kreulen (1988) (Contributions to Mineralogy and Petrology 98:28-32) 123-126
- Jansen JBH → Bol LCGM 306-316
- Johannes W: Melting of plagioclase-quartz assemblages at 2 kbar water pressure 270-278
- Johnson CM, Czarnaske GK, Lipman PW: Geochemistry of intrusive rocks associated with the Latir volcanic field, New Mexico, and contrasts between evolution of plutonic and volcanic rocks 90-109
- Juster TC → Grove TL 287-305
- Kawabe I → Ohtani E 263-269
- Klootwijk CT → Davies HL 457-469
- Kohn SC, Henderson CMB, Mason RA: Element zoning trends in olivine phenocrysts from a supposed primary high-magnesian andesite: an electron- and ion-microprobe study 242-252
- Koyaguchi T: Chemical gradient at diffusive interfaces in magma chambers 143-152
- Kozioł AM, Newton RC: Grossular activity-composition relationships in ternary garnets determined by reversed displaced-equilibrium experiments 423-433
- Kreulen R: Fluid/rock ratios during metamorphism at Naxos: reply 127-129
- Le Breton N: Infrared investigation of CO₂-bearing cordierites. Some implications for the study of metapelitic granulites 387-396
- Leclaire L → Davies HL 457-469
- Lipman PW → Johnson CM 90-109
- Lloyd FE → Edgar AD 277-286
- Lopez Escobar L → Hickey-Vargas R 361-386
- Lorand JP: Mineralogy and chemistry of Cu-Fe-Ni sulfides in orogenic-type spinel peridotite bodies from Ariège (Northeastern Pyrenees, France) 335-345
- Majer C → Bol LCGM 306-316
- Mason RA → Kohn SC 242-252
- McCulloch MT → Davies HL 457-469
- Meyer PS, Dick HJB, Thompson G: Cumulate gabbros from the Southwest Indian Ridge, 54° S-7°16' E: implications for magmatic processes at a slow spreading ridge 44-63
- Moreno Roa H → Hickey-Vargas R 361-386
- Moriyama J → Ohtani E 263-269
- Nagata Y → Ohtani E 263-269
- Newton RC → Kozioł AM 423-433
- Nixon PH → Barker DS 166-177
- Ohtani E, Kawabe I, Moriyama J, Nagata Y: Partitioning of elements between majorite garnet and melt and implications for petrogenesis of komatiite 263-269
- O'Neill HStC, Pownceby MI, Wall VJ: Activity-composition relations in FeTiO₃-MnTiO₃ ilmenite solid solutions from EMF measurements at 1050-1300 K 216-222
- Palmer MR, Slack JF: Boron isotopic composition of tourmaline from massive sulfide deposits and tourmalinites 434-451
- Pasteris JD → Abrajano TA, Jr. 64-77
- Pickett DA, Wasserburg GJ: Neodymium and strontium isotopic characteristics of New Zealand granitoids and related rocks 131-142
- Powell R → Stüwe K 523-530
- Pownceby MI → O'Neill HStC 216-222
- Price RC → Davies HL 457-469
- Russell JK → Stanley CR 78-89
- Ryan CG → Griffin WL 199-202
- Rye DM → Jansen JBH 123-126
- Rye RO → Jansen JBH 123-126

- Schwindinger KR, Anderson AT, Jr: Synthesis of Kilauea Iki olivines 187-196
- Sengupta P, Dasgupta S, Bhattacharya PK, Harliya Y: Mixing behavior in quaternary garnet solid solution and an extended Ellis and Green garnet-clinopyroxene geothermometer 223-227
- Sien SH → Griffin WL 199-202
- Slack JF → Palmer MR 434-451
- Stanley CR, Russell JK: Petrologic hypothesis testing with Pearce element ratio diagrams: derivation of diagram axes 78-89
- Stüwe K, Powell R: Metamorphic segregations associated with garnet and orthopyroxene porphyroblast growth: two examples from the Larsemann Hills, East Antarctica 523-530
- Sun S-s → Davies HL 457-469
- Suter GF → Griffin WL 199-202
- Taniguchi H: Densities of melts in the system $\text{CaMgSi}_2\text{O}_6 - \text{CaAl}_2\text{Si}_2\text{O}_6$ at low and high pressures, and their structural significance 325-334
- Thompson G → Meyer PS 44-63
- Touret JLR → Frost BR 178-186
- Tribaudino M, Benna P, Bruno E: Average structure and M2 site configurations in C2/c clinopyroxenes along the Di-En join 452-456
- Van der Rijst H → Jansen JBH 123-126
- Vogt ET, Flower MFJ: Genesis of the Kina-balü (Sabah) granitoid at a subduction-collision junction 493-509
- Vrána S: Perpotassic granulites from southern Bohemia. A new rock-type derived from partial melting of crustal rocks under upper mantle conditions 510-522
- Wall VJ → O'Neill HStC 216-222
- Wallace P, Carmichael ISE: Minette lavas and associated leucitites from the Western Front of the Mexican Volcanic Belt: petrology, chemistry, and origin 470-492
- Walther JV → Fein JB 317-324
- Wasserburg GJ → Pickett DA 131-142
- Wildberg HGH, Bischoff L, Baumann A: U-Pb ages of zircons from meta-igneous and meta-sedimentary rocks of the Sierra de Guadarrama: implications for the Central Iberian crustal evolution 253-262
- Subject-Index V
- List of Locations VIII
- Indexed in Current Contents/
Abstracted in Mineralogical Abstracts*

